



LED



CONSUMER LIGHTING CATALOG

wipro Lighting

Wipro lighting is proud of being one of the most trusted brand in lighting industry. We have continuously focused on embracing the latest and finest technology to deliver highly efficient products for numerous lighting applications areas and have always believed in offering our customers the best in class, latest design, environment friendly lighting products and solutions. Our endeavour has also been recognized by some of the most important and influential organizations around the world which reaffirms our right approach towards leadership, technological innovation, customer service & strategic product development.



WIPRO LED ADVANTAGES



Superior Quality LED Chip with LM 80 Tested LED Technology

Low lumen depreciation

No color change

Ensures long life



Designed for Indian Condition

Wide input voltage range 150-300VAC

High voltage protection upto 380VAC

Surge protection upto 2.5KV



High Quality Optics

High efficiency non yellowing diffuser

Antiglare design with LGP technology

Safe for eyes




Efficient Heat Management

Aluminum heat sink for better heat dissipation.

LED soldering temperature (ts) <75°C

Long life assured.



GARNET LED LIGHTING RANGE



next
SMART HOME

SMART HOME



SMART PRODUCTS


Control your smart products via Wipro Next App in your smart phone and through voice control like Amazon Alexa or Google Assistant. Download the "Wipro Next Smart Home" app from the Apple App Store or Google Play Store. Now choose from 16 million color shades and light up your moments with different shades of Wipro smart LED bulb. Set the brightness to any level, schedule a timer and create light group as desired.



WIPRO NEXT SMART BULB



- ▷ Create white ambience with 16mn color & white tunable options*
- ▷ Smoothly change brightness of lights from 100% to 10%
- ▷ Control your light from anywhere with Wipro Next Smart App
- ▷ Voice control lights through amazon alexa and google assistant
- ▷ Set timer to automatically turn on/off lights using schedule function
- ▷ Create different group of lights to operate it together
- ▷ The lights are operated directly through 2.4hz Wi-Fi without hub



Base Cap



Base Cap

CAT NO	WATTAGE (W)	VOLTAGE (VAC)	BASE CAP
NS7001	7	220-240	B22
NS9001	9	220-240	B22
NS1200	12	220-240	B22
NS9000	9	220-240	E27



APPLICATIONS



BED ROOM




LIVING ROOM



KITCHEN





PARKING



WIPRO NEXT SMART BATTEN




- Create your ambience white tunable options (warm white to cool white)
- Smoothly change brightness of lights from 100% to 10%
- Control your lights from anywhere in the world with Wipro Next Smart App
- Voice control lights through amazon alex and google assistant
- Set timer to automatically turn on/off lights using schedule function
- Create different group of lights to operate it together
- The lights are operated directly through 2.4GHz Wi-fi without hub



CAT NO	WATTAGE (W)	CCT (K)	VOLTAGE (VAC)
DS12000	20	6500-2700	220-240

DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
20	1136 mm	38 mm	55 mm



APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN



PARKING

WIPRO NEXT SMART PANEL

The new generation Wipro Smart Panels can change color and brightness through Wipro Next Smart Home. It helps to set the mood of occasion by changing color and also saves energy by controlling the brightness as per the requirement.



MOOD LIGHTING

Change Color between 2700K and 6500K to create right ambience



DIMMABLE

Set Brightness of Panels from 100% to 10% as per requirement



VOICE CONTROL

Control lights with your voice after connecting it to internet via Gateway



Set the right light for the right mood
at a click of a button

BRIGHT COOL WHITE



BRIGHT NUETRAL WHITE



BRIGHT WARM WHITE



WARM WHITE



COOL WHITE


WARM WHITE

WIPRO NEXT SMART PANEL



- ▷ Bluetooth Smart panel with white tunable option (warm white - cool white)
- ▷ Smoothly change brightness of lights from 100% to 10%
- ▷ Control lights from anywhere in the world with Wipro Smart Home App*
- ▷ Wipro Bluetooth Mesh Gateway required to connect lights to internet
- ▷ Voice control lights through amazon alexa and google assistant*
- ▷ Create different group lights to operate them together

*After lights are connected to Internet via bluetooth mesh gateway



CAT NO	WATTAGE (W)	CCT (K)	VOLTAGE (VAC)
DS30600	06	6500-2700	220-240
DS31200	12	6500-2700	220-240
DS31800	18	6500-2700	220-240

DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)
06	120 mm	20 mm	108 mm
12	170 mm	20 mm	160 mm
18	225 mm	20 mm	210 mm



APPLICATIONS






WIPRO NEXT 2x2 SMART PANEL



- Bluetooth Smart panel with white tunable option (warm white – cool white)
- Smoothly change brightness of lights from 100% to 10%
- Control lights from anywhere in the world with Wipro Smart Home App*
- Wipro Bluetooth Mesh Gateway required to connect lights to internet
- Voice control lights through amazon alexa and google assistant*
- Create different group lights to operate them together

*After lights are connected to Internet via bluetooth mesh gateway




CAT NO	WATTAGE (W)	CCT (K)	VOLTAGE (VAC)
DS34000	40	6500-2700	220-240


DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(Ø)
40	596x596 mm	11 mm	585 mm



APPLICATIONS



GARNET

COLOR CHANGING AND DIMMABLE LIGHTS



COOL DAY WHITE

6500K

Energise your room with vibrant shades from Cool White lighting.

NEUTRAL WHITE

4000K

Let your interiors look pleasant with Neutral White lighting.

WARM WHITE

2700K

Add a warm and relaxing atmosphere to your space with Warm White lighting.



1 Light 3 Modes

A tri colour LED Batten that changes the ambience of your room to suit your mood. It's three shades of white complement your room at different times of the day.

GARNET SMART PANEL (WITH REMOTE)



- Create ambience by changing color and brightness simultaneously
- Select any palette of white tone between 2700K to 6500K
- Smooth change of brightness from 10-100%
- 2.4GHz remote to change color and control brightness
- Lights can be grouped in 4 groups via remote




CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
DS11600	16	2700-6500	1058	220-240
DS11200	12	2700-6500	786	220-240

REMOTE CONTROL

CAT NO	TYPE
DS24000	2.4Ghz

Works with Remote



DIMENSIONS

WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(∅)
12	173 mm	21.5 mm	160 mm
16	200 mm	21 mm	190 mm

APPLICATIONS



BED ROOM



LIVING ROOM



OFFICES

GARNET WAVE COLOR CHANGING PANEL



- Changes color by switching OFF and ON
- Trimless design for seamless merge with ceiling
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection of 380V
- Surge protection upto 2.5KV



Warm White



Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D731000	10	6500/4000/3000	1050	150-300
D731500	15	6500/4000/3000	1725	150-300



DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(∅)
10	143 mm	33 mm	125 mm
15	168 mm	33 mm	150 mm

* Lumen for 6500K



APPLICATIONS



BED ROOM



LIVING ROOM




OFFICE

GARNET PLUS COLOR CHANGING BATTEN



- Changes color with the click of switch
- Slim design with decorative end cap
- High performance diffuser for soft and glare free light
- LM 80 tested high brightness LED technology
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5KV




CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D532200	22	6500/4000/2700	2200	150-300



TURN OFF AND ON
IN 3 SECONDS
TO CHANGE COLOR

DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
22	1136 mm	34 mm	28 mm

APPLICATIONS



BED ROOM



LIVING ROOM



OFFICE



GARNET WAVE DIMMABLE DOWNLIGHTS



- Smooth change in brightness from 10-100%
- LM 80 tested LED technology ensures long life
- Industry best efficacy upto 90 lm/W
- Integrated driver with inbuilt high voltage and short circuit protection
- IP 44 protection to protect against dust and moisture



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D561065	10	6500	900	220-240
D561465	14	6500	1250	220-240



Tria dimmable technology compatible to both Leading Edge and Trailing edge dimmer

DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(ø)
10	113 mm	59 mm	94 mm
14	145 mm	66 mm	125 mm



APPLICATIONS



BED ROOM



LIVING ROOM




OFFICES



CORRIDOR

GARNET COB



New generation COB LED technology, with an innovative adjustable optics to focus light on desired areas. Great color & light quality adds value to your products & merchandise by enhancing their looks & appeal.

GARNET TRIMLESS COB



- ↳ Trimless & compact design seamlessly merges with the ceiling
- ↳ Sharp beam angle from deep reflector optics
- ↳ Aluminium heat sink for better heat dissipation
- ↳ Sharp light cone effect on wall for wall washer application
- ↳ LM 80 tested LED technology ensures long life
- ↳ Driver with high voltage protection upto 380VAC
- ↳ Surge protection upto 2.5 KV



Warm White




Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D120665	6	6500	530	150-300
D120640	6	4000	525	150-300
D120627	6	2700	210	150-300
D120965	9	6500	830	150-300
D120940	9	4000	830	150-300
D120927	9	2700	780	150-300
D121565	15	6500	1230	150-300
D121540	15	4000	1300	150-300
D121527	15	2700	1230	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C) (ø)	BEAM (D)
6	50 mm	53 mm	45 mm	38°
9	70 mm	64 mm	65 mm	40°
15	78 mm	76 mm	73 mm	38°



APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL



GARNET TRIMLESS COB GOLD



- Premium black housing with Rose Gold Reflector
- Trimless & compact design seamlessly merges with the ceiling
- Deep reflector optics to create sharp light beam without glare
- Sharp light cone effect on wall for wall washer
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5 KV




Warm White



Neutral White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D130940	9	4000	740	150-300
D130927	9	2700	710	150-300
D131540	15	4000	1230	150-300
D131527	15	2700	1180	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(∅)	BEAM (D)
9	75 mm	64 mm	65 mm	40°
15	85 mm	76 mm	75 mm	38°

APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL

GARNET COMPACT COB



- ↳ Ultra compact & trimless design, seamless merge with ceiling
- ↳ Aluminium heat sink for better heat dissipation
- ↳ Deep reflector optics to provide glare free light
- ↳ Very sharp & intense light beam to highlight wall & objects
- ↳ LM 80 tested LED technology ensures long life
- ↳ Driver with high voltage protection upto 380VAC
- ↳ Surge protection upto 2.5 KV



Warm White




Neutral White



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D140540	5	4000	390	150-300
D140527	5	2700	370	150-300
D141240	12	4000	950	150-300
D141227	12	2700	860	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(ø)	BEAM (D)
5	46 mm	59 mm	40 mm	55°
12	60 mm	82 mm	55 mm	40°



APPLICATIONS



GARNET COMPACT COB GOLD



- ↳ Ultra compact design with rose gold reflector
- ↳ Aluminium heat sink for better heat dissipation
- ↳ Deep reflector optics to provide glare free light
- ↳ Very sharp & intense light beam to highlight wall & objects
- ↳ LM 80 tested LED technology ensures long life
- ↳ Driver with high voltage protection upto 380VAC
- ↳ Surge protection upto 2.5 KV






Warm White



Neutral White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D150540	5	4000	390	150-300
D150527	5	2700	390	150-300
D151240	12	4000	850	150-300
D151227	12	2700	820	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(Ø)	BEAM (D)
5	46 mm	59 mm	40 mm	45°
12	60 mm	82 mm	55 mm	15°

APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL

GARNET CHROME COB



- Chrome finish reflector provides high efficiency
- Aluminium heat sink for better heat dissipation
- 150-300VAC gives fluctuation free lights
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VC
- Surge protection upto 2.5KV




Warm White



Neutral White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D170640	6	4000	480	150-300
D170627	6	2700	470	150-300
D171240	12	4000	960	150-300
D171227	12	2700	950	150-300
D171840	18	4000	1440	150-300
D171827	18	2700	1430	150-300


DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C) (∅)	BEAM (D)
6	75 mm	60 mm	56 mm	38°
12	94 mm	85 mm	75 mm	38°
18	124 mm	98 mm	95 mm	38°



APPLICATIONS





GARNET SURFACE TRACKLIGHT



- Adjustable surface mounted design 360° horizontal rotation and 90° vertical tilt
- Deep reflector optics gives glare free better light throw
- Wide voltage range 150-300VAC give fluctuation free light
- LM 80 tested LED technology, ensure long life
- High voltage protection upto 380V & surge protection 2.5KV




Warm White



Neutral White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D180640	6	4000	700	150-300
D180627	6	2700	650	150-300
D181040	10	4000	1250	150-300
D181027	10	2700	1200	150-300

DIMENSIONS



WATTAGE (W)	BASE SIZE (A)	LENGTH (B)	DIAMETER (C)
6	50 mm	77 mm	49 mm
10	59.5 mm	135 mm	52 mm

APPLICATIONS



SHOWROOMS



HOSPITALITY



RETAIL

GARNET TRACKLIGHT



- Adjustable rail mounted design with 360° horizontal rotation and 90° vertical tilt
- Deep reflector optics give glare free better light throw
- Wide voltage range 150-300VAC give fluctuation free light
- LM 80 tested LED technology, ensures long life
- High voltage protection upto 380VC & surge protection 2.5KV




Warm White



Neutral White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D161040	10	4000	1250	150-300
D161027	10	2700	1200	150-300
D162040	20	4000	2500	150-300
D162027	20	2700	2100	150-300
D163040	30	4000	3350	150-300
D163027	30	2700	3100	150-300

DIMENSIONS



WATTAGE (W)	BASE SIZE (A)	LENGTH (B)	DIAMETER (C)
10	126 mm	135 mm	52 mm
20	126 mm	150 mm	62 mm
30	165 mm	170 mm	72 mm



APPLICATIONS



SHOWROOMS



HOSPITALITY



RETAIL



GARNET COB



- Industry best lumen output with efficacy more than 100lm/W
- Reflector & clear optics to create sharp light beam without glare
- Adjustable design to focus light on desired area
- Aluminium heat sink for better heat dissipation
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5 KV



Warm White




Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D110365	3	6500	210	150-300
D110340	3	4000	210	150-300
D110327	3	2700	210	150-300
D110665	6	6500	490	150-300
D110640	6	4000	520	150-300
D110627	6	2700	480	150-300
D110965	9	6500	860	150-300
D110940	9	4000	860	150-300
D110927	9	2700	790	150-300
D111265	12	6500	1100	150-300
D111240	12	4000	1100	150-300
D111227	12	2700	1040	150-300
D111665	16	6500	1620	150-300
D111640	16	4000	1540	150-300
D111627	16	2700	1500	150-300
D112465	24	6500	2360	150-300
D112440	24	4000	2460	150-300
D112427	24	2700	2180	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(ø)	BEAM (D)
3	66 mm	30 mm	55 mm	38°
6	81 mm	40 mm	65 mm	38°
9	90 mm	50 mm	75 mm	38°
12	98 mm	55 mm	85 mm	38°
16	110 mm	65 mm	90 mm	38°
24	145 mm	84 mm	135 mm	38°

APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL

GARNET ROUND SURFACE COB



- ▷ Surface mounted fixture with compact and decorative design
- ▷ Aluminium heat sink for effective thermal management
- ▷ Chrome finish reflector provides high intensity light beam
- ▷ LM 80 tested COB technology, ensure long LED life
- ▷ 150–300VAC voltage range give fluctuation free light
- ▷ Driver with high voltage protection upto 380V



Warm White




Neutral White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
DB11240	12	4000	1080	150-300
DB11227	12	2700	960	150-300
DB12040	20	4000	1800	150-300
DB12027	20	2700	1600	150-300



DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	BEAM (D)
12	73 mm	100 mm	30°
20	94 mm	116 mm	30°



APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL

GARNET SQUARE SURFACE COB



- Surface mounted fixture with compact and decorative design
- Aluminium heat sink for effective thermal management
- Chrome finish reflector provides high intensity light beam
- LM 80 tested COB technology, ensure long LED life
- 150-300VAC voltage range give fluctuation free light
- Driver with high voltage protection upto 380V



Warm White



Neutral White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
DB21240	12	4000	1080	150-300
DB21227	12	2700	960	150-300
DB22040	20	4000	1800	150-300
DB22027	20	2700	1600	150-300



DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	BEAM (D)
12	73x73 mm	95 mm	30°
20	95x95 mm	110 mm	30°

APPLICATIONS



MODERN HOMES



SHOWROOMS



HOSPITALITY



RETAIL

GARNET ZOOM COB



- ▷ Adjustable design with 360° horizontal rotation with 90° vertical tilt
- ▷ Industry best lumen output with efficacy more than 100lm/W
- ▷ Anti-glare controlled light beam with reflector & lens optics
- ▷ LM 80 tested LED technology ensures long life
- ▷ Driver with high voltage protection upto 380VAC
- ▷ Surge protection upto 2.5 KV




Warm White



Neutral White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D113040	30	4000	2480	150-300
D113027	30	2700	2370	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C) (ø)	BEAM (D)
30	135 mm	95 mm	120 mm	36°



APPLICATIONS



INDUSTRY



SHOWROOMS



HOSPITALITY



RETAIL

GARNET SLIM COB SPOTLIGHTS



- Slimmest spotlights (20mm), easily used in low depth false ceilings
- Aluminium PDC heat sink for effective heat dissipation
- Dual optics technology for better light distribution
- Adjustable design to focus light on desired area
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV



Warm White



Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D320365	3	6500	230	150-300
D320340	3	4000	220	150-300
D320327	3	2700	210	150-300
D320665	6	6500	520	150-300
D320640	6	4000	510	150-300
D320627	6	2700	500	150-300
D320965	9	6500	720	150-300
D320940	9	4000	710	150-300
D320927	9	2700	700	150-300



APPLICATIONS



BED ROOM





LIVING ROOM



KITCHEN

DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(Ø)	BEAM (D)
3	72 mm	20 mm	62 mm	38°
6	82 mm	20 mm	72 mm	38°
9	87 mm	20 mm	77 mm	38°

GARNET CABINET SPOTLIGHTS



- ↳ Compact design with premium white finish
- ↳ Reflector optics to create sharp light beam
- ↳ Aluminium heat sink for better heat dissipation
- ↳ LM 80 tested LED technology ensures long life
- ↳ Suitable for wall lighting & wall washer applications




Warm White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D910165	1	6500	50	150-300
D910127	1	2700	50	150-300
D910365	3	6500	165	150-300
D910327	3	2700	165	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C) [Ø]	BEAM (D)
1	32 mm	19 mm	24.5 mm	60°
3	42 mm	24 mm	33 mm	60°



APPLICATIONS



DECORATION



SHELF



FOCUS



CABINET



GARNET CABINET SPOTLIGHTS




- Compact design with 12mm height, ideal for shelf lighting
- Aluminium heat sink for better heat dissipation
- Lens optics to create sharp light cone without glare
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5 KV



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D720265	2	6500	120	150-300
D720227	2	2700	114	150-300
D720280	2	BLUE		150-300
D720295	2	GREEN		150-300
D720290	2	RED		150-300



DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(∅)	BEAM (D)
2	39 mm	12 mm	33 mm	60°

APPLICATIONS



DECORATION



SHELF



FOCUS



CABINET

GARNET MINI SPOTLIGHTS (JUNCTION BOX)




- ↳ Compact design suitable for 2 inch junction boxes
- ↳ Reflector optics to create sharp light beam
- ↳ LM 80 tested LED technology ensures long life
- ↳ Driver with high voltage protection upto 380VAC
- ↳ Surge protection upto 2KV



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D340365	3	6500	260	150-300
D340327	3	2700	240	150-300
D340380	3	BLUE		150-300
D340395	3	GREEN		150-300
D340390	3	RED		150-300



DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)[ø]	BEAM (D)
3	75 mm	45 mm	58 mm	45°

APPLICATIONS



DECORATION



SHELF



FOCUS




CABINET

GARNET DOWNLIGHTS



An exquisite range of LED downlighters, with the best light output in the industry. It is simple to install due to its integrated design and comes with IP44 protection (resistant to dust and water splashes).

wipro Consumer Lighting



LM 80 tested
LED Technology



Designed for Indian
Condition 150-300VAC



Antiglare design,
safe for eyes



Efficient heat
management



GARNET DOWNLIGHT



- Decorative design with aluminium PDC housing
- Industry best lumen efficacy upto 110lm/W
- High efficiency non yellowing polycarbonate diffuser
- Deep down optics for glare free light
- LM 80 tested LED technology ensures long life
- Driver with HV protection upto 380V & surge protection upto 2.5KV



Warm White




Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D731060	10	6000	1000	150-300
D731040	10	4000	980	150-300
D731030	10	3000	950	150-300
D731560	15	6000	1500	150-300
D731540	15	4000	1450	150-300
D731530	15	3000	1425	150-300
D742060	20	6000	2200	150-300
D742040	20	4000	2100	150-300
D742030	20	3000	2000	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(∅)
10	118 mm	51 mm	100 mm
15	148 mm	52 mm	125 mm
20	178 mm	56.5 mm	150 mm

APPLICATIONS



MODERN HOMES



OFFICES



SHOWROOMS



LOBBY

GARNET WAVE ROUND DOWNLIGHTS



- Premium and compact design
- Aluminium heat sink for better heat dissipation
- Polycarbonate diffuser for glare free light
- LM 80 tested SMD LED technology
- Integrated driver with high voltage protection upto 380VAC
- IP 44 protection against dust and moisture



Warm White





Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D540565	5	6500	440	150-300
D540540	5	4000	420	150-300
D540527	5	2700	400	150-300
D540865	8	6500	720	150-300
D540840	8	4000	700	150-300
D540827	8	2700	650	150-300
D541265	12	6500	1100	150-300
D541240	12	4000	1050	150-300
D541227	12	2700	1000	150-300
D541565	15	6500	1400	150-300
D541540	15	4000	1360	150-300
D541527	15	2700	1300	150-300

DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(∅)
5	95 mm	58 mm	70 mm
8	113 mm	59 mm	94 mm
12	145 mm	66 mm	125 mm
15	174 mm	68 mm	150 mm



APPLICATIONS



MODERN HOMES



OFFICES



SHOWROOMS



HOSPITALITY



RETAIL



GARNET MINI DOWNLIGHTS



- Compact design suitable for 2 inch junction boxes
- High efficiency and non yellowing polycarbonate diffuser
- 120 degree wide beam angle for uniform lighting
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5KV





Warm White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D350365	3	6500	180	150-300
D350327	3	2700	170	150-300
D350865	8	6500	640	140-300
D350827	8	2700	560	140-300
D351565	15	6500	1275	140-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(∅)
3	80 mm	46 mm	48 mm
8	83 mm	60 mm	48 mm
15	153 mm	62 mm	48 mm

APPLICATIONS



MODERN HOMES



SHOWROOMS



RETAIL

GARNET ROUND DOWNLIGHT (JUNCTION BOX)



- ↳ Compact design suitable for 3 inch junction boxes
- ↳ Aluminium heat sink for better heat dissipation
- ↳ High efficiency & non yellowing polycarbonate diffuser
- ↳ LM 80 tested LED technology ensures long life
- ↳ Driver with high voltage protection upto 380VAC
- ↳ Surge protection upto 2.5 KV





Warm White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D520565	5	6500	425	150-300
D520527	5	2700	400	150-300
D520765	7	6500	595	150-300
D520727	7	2700	560	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C) (ø)
5	110 mm	48 mm	75 mm
7	110 mm	48 mm	75 mm



APPLICATIONS



BED ROOM



LIVING ROOM



RETAIL

GARNET PANEL LIGHTS



The range of ultra slim panels with edge-lit LED's that provide soft, energy efficient light which is used for ambient lighting (indoor applications). It imparts a sense of luxury, with its classic design, aesthetics and quality light.



LM 80 tested LED Technology



Designed for Indian Condition 150-300VAC



Antiglare design, safe for eyes



Efficient heat management



GARNET ROUND PANEL LIGHT



- Robust design with Aluminium die cast body
- Good heat dissipation ensures longer life
- Anti glare LGP technology, safe for eyes
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380 VAC
- Surge protection upto 2.5KV
- Suitable for commercial as well as industrial application



Warm White





Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D810365	3	6500	180	150-300
D810327	3	2700	170	150-300
D810665	6	6500	360	150-300
D810640	6	4000	350	150-300
D810627	6	2700	340	150-300
D820965	9	6500	630	150-300
D820940	9	4000	590	150-300
D820927	9	2700	540	150-300
D811265	12	6500	840	150-300
D811240	12	4000	800	150-300
D811227	12	2700	760	150-300
D821665	16	6500	1140	150-300
D821640	16	4000	1000	150-300
D821627	16	2700	900	150-300

DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C) (∅)
3	85 mm	20 mm	78 mm
6	120 mm	20 mm	108 mm
9	150 mm	20 mm	135 mm
12	170 mm	20 mm	155 mm
16	190 mm	20 mm	176 mm

APPLICATIONS



MODERN HOMES



OFFICES



SCHOOLS



HOSPITALITY



RETAIL

GARNET SQUARE PANEL LIGHT



- Robust design with Aluminium die cast body
- Good heat dissipation ensures longer life
- Anti glare LGP technology, safe for eyes
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380 VAC
- Surge protection upto 2.5KV
- Suitable for commercial as well as industrial application



Warm White





Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D820365	3	6500	180	150-300
D820327	3	2700	170	150-300
D820665	6	6500	360	150-300
D820640	6	4000	350	150-300
D820627	6	2700	340	150-300
D830965	9	6500	610	150-300
D830940	9	4000	575	150-300
D830927	9	2700	530	150-300
D821265	12	6500	820	150-300
D821240	12	4000	780	150-300
D821227	12	2700	740	150-300
D831665	16	6500	1140	150-300
D831640	16	4000	1000	150-300
D831627	16	2700	900	150-300
D812465	24	6500	1800	150-300
D812440	24	4000	1700	150-300
D812427	24	2700	1660	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(∅)
3	85x85 mm	20 mm	78x78 mm
6	120x120 mm	20 mm	108x108 mm
9	150x150 mm	20 mm	135x135 mm
12	170x170 mm	20 mm	155x155 mm
16	190x190 mm	20 mm	176x176 mm
24	300x300 mm	20 mm	280x280 mm



APPLICATIONS



MODERN HOMES

OFFICES

SCHOOLS

HOSPITALITY

RETAIL



GARNET WAVE SLIM ROUND PANEL LIGHT



- ▷ Brightest edge lit panels with efficacy upto 100lm/W
- ▷ Slim and decorative design adds to home décor
- ▷ Aluminium heat sink for effective heat dissipation
- ▷ Anti glare LGP technology, safe for eyes
- ▷ LM 80 tested SMD LED technology
- ▷ Integrated driver with high voltage protection upto 380VAC
- ▷ Surge protection upto 2.5 KV



Warm White





Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D710360	3	6000	237	150-300
D710340	3	4000	225	150-300
D710330	3	3000	213	150-300
D710660	6	6000	487	150-300
D710640	6	4000	462	150-300
D710630	6	3000	438	150-300
D711060	10	6000	965	150-300
D711040	10	4000	937	150-300
D711030	10	3000	890	150-300
D711560	15	6000	1468	150-300
D711540	15	4000	1425	150-300
D711530	15	3000	1353	150-300
D712060	20	6000	2058	150-300
D712040	20	4000	1960	150-300
D712030	20	3000	1862	150-300

DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)	CUTOUT (C)(∅)
3	93 mm	28 mm	75 mm
6	118 mm	28 mm	100 mm
10	142 mm	28 mm	125 mm
15	168 mm	28 mm	150 mm
20	218 mm	28 mm	200 mm

APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN

GARNET WAVE SLIM SQUARE PANEL LIGHT



- Brightest edge lit panels with efficacy upto 100lm/W
- Slim and decorative design adds to home décor
- Aluminium heat sink for effective heat dissipation
- Anti glare LGP technology, safe for eyes
- LM 80 tested SMD LED technology
- Integrated driver with high voltage protection upto 380VAC
- Surge protection upto 2.5 KV



Warm White



Neutral White





Cool White



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D720360	3	6000	237	150-300
D720340	3	4000	225	150-300
D720330	3	3000	213	150-300
D720660	6	6000	487	150-300
D720640	6	4000	462	150-300
D720630	6	3000	438	150-300
D721060	10	6000	965	150-300
D721040	10	4000	937	150-300
D721030	10	3000	890	150-300
D721560	15	6000	1468	150-300
D721540	15	4000	1425	150-300
D721530	15	3000	1353	150-300
D722060	20	6000	2058	150-300
D722040	20	4000	1960	150-300
D722030	20	3000	1862	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(∅)
3	93x93 mm	28 mm	75x75 mm
6	118x118 mm	28 mm	100x100 mm
10	142x142 mm	28 mm	125x125 mm
15	168x168 mm	28 mm	150x150 mm
20	218x218 mm	28 mm	200x200 mm



APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN



GARNET MODULE PANEL



- Product with separate fixture and LED module gives a smooth installation
- No chance of POP damage as while replacing the product no need to take out the fixture
- LM 80 tested COB technology, ensures long LED life
- 150-300VAC voltage range give fluctuation free light
- 380V high voltage protection protect light from the high voltages



Warm White



Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
DC10865	8	6500	640	150-300
DC10840	8	4000	600	150-300
DC10827	8	2700	560	150-300
DC11565	15	6500	1240	150-300
DC11540	15	4000	1150	150-300
DC11527	15	2700	1100	150-300


INSTALLATION PROCESS



DIMENSIONS

WATTAGE (W)	SIZE (A)	HEIGHT (B)	CUTOUT (C)(∅)
8	122 mm	41 mm	108 mm
15	172 mm	41 mm	158 mm

APPLICATIONS



GARNET SLIM 2x2 LED PANEL



- Elegant sleek look with 10mm thickness
- Anti-glare LGP technology, safe for Eyes
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV
- Replacement for 2x36W CFL fixtures



Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D414065	40	6500	3400	150-300
D414040	40	4000	3280	150-300



DIMENSIONS



WATTAGE (W)	SIZE (A)	THICKNESS (B)	CUTOUT (C)(∅)
40	595x595 mm	10 mm	585 mm

APPLICATIONS



OFFICES



COLLEGES



SCHOOLS



HOTELS

GARNET SURFACE PANELS



An exquisite range of surface mounted panels with edge-lit LEDs that provide soft, energy-efficient light that is used for ambient lighting (indoor applications). It's suitable for parking spaces, lobbies and balconies.

GARNET TRIMLESS SURFACE ROUND PANEL



- ↳ Elegant sleek look with screwless design
- ↳ Aluminium heat sink for effective heat dissipation
- ↳ Anti glare LGP technology, safe for eyes
- ↳ LM 80 tested LED technology ensures long life
- ↳ Driver with high voltage protection upto 380VAC
- ↳ Surge protection upto 2.5KV



Warm White



Neutral White




Cool White



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D640665	6	6500	420	150-300
D640640	6	4000	390	150-300
D640627	6	2700	360	150-300
D641265	12	6500	960	150-300
D641240	12	4000	900	150-300
D641227	12	2700	840	150-300
D641865	18	6500	1440	150-300
D641840	18	4000	1350	150-300
D641827	18	2700	1260	150-300

DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)
6	100 mm	23 mm
12	150 mm	23 mm
18	200 mm	23 mm



APPLICATIONS



MODERN HOMES



HOSPITALITY



LOBBY



PARKING

GARNET TRIMLESS SURFACE SQUARE PANEL



- Elegant sleek look with screwless design
- Aluminium heat sink for effective heat dissipation
- Anti glare LGP technology, safe for eyes
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5KV



Warm White




Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D650665	6	6500	420	150-300
D650640	6	4000	390	150-300
D650627	6	2700	360	150-300
D651265	12	6500	960	150-300
D651240	12	4000	900	150-300
D651227	12	2700	840	150-300
D651865	18	6500	1440	150-300
D651840	18	4000	1350	150-300
D651827	18	2700	1260	150-300

DIMENSIONS



WATTAGE (W)	SIZE (A)	HEIGHT (B)
6	100x100 mm	23 mm
12	150x150 mm	23 mm
18	200x200 mm	23 mm

APPLICATIONS



MODERN HOMES



HOSPITALITY



LOBBY



PARKING

GARNET MOONLIGHT




- Compact & decorative design
- High lumen output with efficacy upto 100lm/W
- Aluminium heat sink for effective thermal management
- LM 80 tested high brightness LED technology
- Driver with HV protection upto 380V & surge protection upto 2.5KV
- Press fit module based design, easy to install



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D711265	12	6500	1200	150-300
D711240	12	4000	1150	150-300
D711227	12	2700	1100	150-300
D732065	20	6500	2000	150-300
D732040	20	4000	1900	150-300
D732027	20	2700	1800	150-300

DIMENSIONS



WATTAGE (W)	DIAMETER (A)	HEIGHT (B)
12	145 mm	40 mm
20	185 mm	40 mm

APPLICATIONS



GARNET BATTENS



wipro

wipro

wipro

wipro

The Garnet Batten compliments the décor of your home, and provides uniform lighting for your drawing room, kitchen and bedrooms. What's more it is packaged in a slim body with decorative endcaps

GARNET LED BATTEN



- ▷ Brightest LED batten of industry with efficacy upto 110 lm/W
- ▷ Slim design with decorative end cap
- ▷ High performance diffuser for soft and glare free light
- ▷ LM 80 tested high brightness LED technology
- ▷ Driver with high voltage protection upto 380VAC
- ▷ Surge protection upto 2.5KV



Warm White




Neutral White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D530565	5	6500	380	150-300
D530527	5	2700	360	150-300
D531065	10	6500	800	150-300
D531027	10	2700	760	150-300
D532065	20	6500	1900	150-300
D532040	20	4000	1890	150-300
D532027	20	2700	1800	150-300
D532265	22	6500	2400	150-300
D532227	22	2700	2200	150-300

DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
5	275 mm	34 mm	28 mm
10	536 mm	34 mm	28 mm
20	1136 mm	34 mm	28 mm
22	1136 mm	34 mm	28 mm



APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN



OFFICE



PARKING

GARNET ALUMINIUM BATTEN



- 100 lm/W Efficacy with LM80 Tested LED Technology
- Effective heat dissipation with Aluminum Extruded Heat Sink
- Non-Yellowing and high efficiency polycarbonate diffuser
- Wide beam angle of 120° and glare free light
- 2.5kV Surge and 380V high voltage protection
- Suitable for commercial, industrial and retail applications



Warm White





Cool White



Base Cap

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D552065	20	6500	2000	150-300
D533665	36	6500	3600	150-300

DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
20	1136 mm	37.4 mm	23 mm
36	1200 mm	44 mm	29 mm

APPLICATIONS



OFFICE



SCHOOL



INDUSTRY



RETAIL



GARNET NEW SQUARE BATTEN



- ▷ Brightest LED batten of industry with efficacy upto 110 lm/W
- ▷ Slim design with decorative end cap
- ▷ High performance diffuser for soft and glare free light
- ▷ LM 80 tested LED technology ensures long life
- ▷ Driver with high voltage protection upto 380VAC
- ▷ Surge protection upto 2.5KV



Warm White




Neutral White




Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D560565	5	6500	500	150-300
D560527	5	2700	450	150-300
D571065	10	6500	1000	150-300
D571027	10	2700	900	150-300
D562065	20	6500	2000	150-300
D562040	20	4000	1900	150-300
D562027	20	2700	1800	150-300

DIMENSIONS



WATTAGE (W)	LENGTH (A)	WIDTH (B)	HEIGHT (C)
5	266 mm	22.5 mm	32.8 mm
10	536 mm	22.5 mm	32.8 mm
20	1136 mm	22.5 mm	32.8 mm



APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN



PARKING

GARNET MAGMA



- Robust design with aluminium housing
- Aluminium extruded heat sink for effective heat dissipation
- Non yellowing polycarbonate diffuser for glare free light
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5KV



Warm White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
P07005	7	6500	520	150-300
P27005	7	2700	500	150-300
P07010	14	6500	1200	150-300
P27010	14	2700	1200	150-300


GARNET WALL LIGHT



- Sleek & modern design with premium material & finish
- Aluminium heat sink for effective heat dissipation
- Non yellowing polycarbonate diffuser for glare free light
- LM 80 tested LED technology ensures long life
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5KV

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D531865	18	6500	1700	150-300
D531827	18	2700	1650	150-300

DIMENSIONS



WATTAGE (W)	LENGTH (A)	WIDTH (B)	HEIGHT (C)
7	281 mm	38mm	55mm
14	570 mm	38 mm	55 mm
18	597 mm	80 mm	33 mm

APPLICATIONS



MODERN HOMES



OFFICES



PARKING



KITCHEN

GARNET GLASS TUBE LIGHT



- Retrofit to existing T8 36W tubelights
- Wide light distribution with 300° beam angle
- Robust design with effective heat dissipation
- LM 80 tested SMD LED technology
- Driver with high voltage protection upto 380VAC
- Surge protection upto 2.5KV



2700K
Warm White



6500K
Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
D612065	20	6500	2000	G13	150-300
D612027	20	2700	1750	G13	150-300

DIMENSIONS



WATTAGE (W)	LENGTH (A)	HEIGHT (B)	WIDTH (C)
20 Tube	1200 mm	44 mm	29 mm



GARNET NR LAMP (4 pin 2G11)



- Retrofit to existing 36W CFL NR lamp
- Glass housing ensures good heat dissipation
- Optics designed for wide light distribution
- LM 80 tested LED technology ensures long life
- Driver with HV protection upto 380V & surge protection upto 2.5V

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D611865	18	6500	1800	150-300



APPLICATIONS



BED ROOM



LIVING ROOM



KITCHEN



OFFICE



PARKING

GARNET BULBS



Enhance your interiors with our everyday lighting solution designed to lower your energy bills.



ECO FRIENDLY

Zero mercury content makes the disposal easy

GARNET 5 STAR BULB



- High brightness LED with efficacy upto 120lm/W
- Aluminium heat sink for better heat dissipation
- Diffuser optics for glare free light, safe for eyes
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV



6500K
Cool White



B22
Base Cap

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N70051	7	6500	840	B22	150-300
N90051	9	6500	1080	B22	150-300



APPLICATIONS



MODERN HOMES



RETAIL



LIVING ROOM



STUDY ROOM

GARNET BULB



- High brightness LED with efficacy upto 100lm/W
- Wide beam angle (240°) provides good light distribution
- Aluminium heat sink for better heat dissipation
- Diffuser optics for glare free light, safe for eyes
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV



Warm White



Cool White



Base Cap



Base Cap

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
--------	-------------	---------	-------------	----------	---------------

N32001	3	6500	300	B22	150-300
N32002	3	2700	255	B22	150-300
N50001	5	6500	500	B22	150-300
N50002	5	2700	450	B22	150-300
N70001	7	6500	700	B22	150-300
N70002	7	2700	630	B22	150-300
N90001	9	6500	900	B22	150-300
N90002	9	2700	810	B22	150-300
N12001	12	6500	1200	B22	150-300
N12002	12	2700	1080	B22	150-300
N14001	14	6500	1400	B22	150-300
N14002	14	2700	1260	B22	150-300
N18001	18	6500	1800	B22	150-300
N18002	18	2700	1620	B22	150-300
N23001	23	6500	2300	B22	150-300
N23002	23	2700	2070	B22	150-300
N26001	26	6500	2600	B22	150-300

N33001	3	6500	300	E27	150-300
N33002	3	2700	250	E27	150-300
N51001	5	6500	500	E27	150-300
N51002	5	2700	450	E27	150-300
N71001	7	6500	700	E27	150-300
N71002	7	2700	630	E27	150-300
N91001	9	6500	900	E27	150-300
N91002	9	2700	810	E27	150-300
N12201	12	6500	1200	E27	150-300
N12202	12	2700	1080	E27	150-300
N14201	14	6500	1400	E27	150-300
N14202	14	2700	1260	E27	150-300

APPLICATIONS



MODERN HOMES



LIVING ROOM



STUDY ROOM



KITCHEN



OFFICES

GARNET HIGH WATTAGE BULB



- High brightness LED with efficacy upto 100lm/W
- Robust design with aluminium die cast body
- Wide coverage with 240° beam angle
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV
- Suitable for commercial and industrial application



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N30101	30	6500	3000	B22	150-300
N40001	40	6500	4000	B22	150-300
N50201	50	6500	5000	B22	150-300



TEJAS BULB



- High brightness LED with efficacy upto 90lm/W
- Aluminium heat sink for better heat dissipation
- Diffuser optics for glare free light, safe for eyes
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N55001	5	6500	450	B22	150-300
N75001	7	6500	630	B22	150-300
N95001	9	6500	810	B22	150-300
N12501	12	6500	1200	B22	150-300



APPLICATIONS

- MODERN HOMES
- LIVING ROOM
- STUDY ROOM
- KITCHEN
- OFFICES



GARNET 3D LED BULB



- Linear design with wider light distribution
- Adjustable design with 90° horizontal & 35° vertical tilt
- High brightness LED with efficacy upto 100lm/W
- Soft & glare free light, good for eyes
- LM 80 tested LED technology ensures long life
- Driver with HV protection upto 380V & surge protection upto 2.5KV



Cool White



Base Cap

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N11011	10	6500	1000	B22	100-300

GARNET GU10



- Aluminium die cast housing in white finish
- LM 80 tested LED technology ensures long life
- Good heat dissipation is ensured through aluminium heat sink
- Driver with inbuilt protections
- Perfect replacement for 50W MR16 halogen lamp




Warm White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D21065	7	6500	560	170-246
D21027	7	2700	440	170-246

DIMENSIONS



WATTAGE (W)	BEAM (D)
7	38°

APPLICATIONS



PICTURE LIGHTING



MIRROR LIGHTING



MODERN HOMES



RETAIL

GARNET FILAMENT LED BULB



Enhance your interiors with our everyday lighting solution designed to lower your energy bills.

Filament LED
Technology



GARNET FILAMENT BULB



- 360° light distribution with efficacy upto 100 lm/w
- Good light quality similar to conventional lamps
- LM 80 tested LED technology ensures long life
- Surge protection upto 2 KV



Warm White



Base Cap



Base Cap

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N82003	8	2200	700	E27	220-240
N62003	6	2200	500	E27	220-240

N82002	8	2700	800	E27	220-240
N62002	6	2700	600	E27	220-240

CANDLE FILAMENT BULB

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N42002	4	2700	400	E27	220-240
N41002	4	2700	400	E14	220-240

APPLICATIONS



MODERN HOMES



RESTAURANTS



DECORATION

GARNET CANDLE BULB



- High brightness LED with efficacy upto 100lm/W
- Clear optics to provide sparkling effect
- Diffuser optics to provide glare free light
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV
- Ideal for chandeliers



Warm White



Cool White



Base Cap



Base Cap



CLEAR CANDLE BULB

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N31002	3	2700	270	E27	150-300
N55002	5	2700	450	E27	150-300

N30002	3	2700	270	E14	150-300
N54002	5	2700	450	E14	150-300

FROSTED CANDLE BULB

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N35001	3	6500	300	E27	150-300
N35002	3	2700	270	E27	150-300
N53001	5	6500	450	E27	150-300
N53002	5	2700	400	E27	150-300

N34001	3	6500	300	E14	150-300
N34002	3	2700	270	E14	150-300
N52001	5	6500	500	E14	150-300
N52002	5	2700	450	E14	150-300



APPLICATIONS



MODERN HOMES



LIVING ROOM



BED ROOM



POOJA ROOM



GARNET G45 BULB



- High brightness LED with efficacy upto 100lm/W
- Clear optics to provide sparkling effect
- Diffuser optics to provide glare free light
- LM 80 tested LED technology ensures long life
- High voltage protection upto 380VAC
- Surge protection upto 2.5KV
- Ideal for chandeliers



Warm White



Cool White



Base Cap

CLEAR G45 BULB

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N37002	3	2700	270	E14	150-300
N57002	5	2700	450	E14	150-300

G45 FROSTED BULB

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	BASE CAP	VOLTAGE (VAC)
N38002	3	2700	270	E14	150-300
N38001	3	6500	300	E14	150-300
N56002	5	2700	450	E14	150-300
N56001	5	6500	500	E14	150-300

APPLICATIONS



MODERN HOMES



BED ROOM



LIVING ROOM



POOJA ROOM

GARNET STRIP LIGHT



- LM 80 tested LED technology ensures long life
- Industry best light output with efficacy upto 100 lm/W
- 2 ounce copper PCB to ensure good heat dissipation
- Double side copper layer for efficient flow of current
- Original 3M tape for better stickiness
- Easy to cut and solder after every 3 LEDs



Warm White



Neutral White



Cool White



Blue

LED COUNT 60 per mtr



2835 STRIP LIGHT

CAT NO	LED TYPE	CCT (K)	WATTAGE (W/5mtr)	VOLTAGE (DC)
D42865	2835	6500	25	12
D42840	2835	4000	25	12
D42827	2835	2700	25	12
D42880	2835	BLUE	25	12

5050 STRIP LIGHT

CAT NO	LED TYPE	CCT (K)	WATTAGE (W/5mtr)	VOLTAGE (DC)
D415065	5050	6500	50	12
D415040	5050	4000	50	12
D415027	5050	2700	50	12

GARNET LED STRIP DRIVER



CAT NO	OUTPUT CURRENT (Amp)	OUTPUT VOLTAGE (VDC)	DIMENSIONS (mm)
H43520	2	12	77x44
H45040	4	12	16x51
H45060	6	12	142x76

APPLICATIONS



SHOWCASE



UNDER CABIN



CEILING





GARNET IP65 RATED STRIP LIGHT



- High wattage strip with 8 W/meter
- LM80 tested LED technology for long life
- 220V LED driver with 3KV surge protection
- Good quality PCB with 2 ounce copper thickness ensures good heat dissipation
- Application: IP65 Outdoor Applications



Warm White



CAT NO	LED TYPE	CCT (K)	WATTAGE (W/M)
D425027	5050	2700K	8

GARNET SPIKE LIGHT



- Aluminium die cast body & heat sink
- LM 80 tested COB LED technology
- Surge protection of 2.5KV
- IP 65 protection from dust & rain
- Reflector & test technology to provide sharp beam angle & 30° optics



Warm White



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D930765	7	6500	480	150-300
D930727	7	2700	480	150-300

APPLICATIONS



FACADE



DECORATION



LANDSCAPE

GARNET BULKHEAD



- ▷ Elegant design in white finish
- ▷ High efficiency diffuser for bright light without glare
- ▷ LM 80 tested high brightness LED technology
- ▷ Driver with HV protection upto 380V & surge protection upto 2.5KV
- ▷ IP 65 protection against dust & rain for outdoor use



Warm White




Cool White



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
DA11265	12	6500	1100	150-300
DA11227	12	2700	1050	150-300

DIMENSIONS



WATTAGE (W)	LENGTH (A)	WIDTH (B)	HIEGHT (C)
12	230 mm	105 mm	70 mm



APPLICATIONS



INDUSTRY



PARKING



LANDSCAPE



BALCONY



GARNET STREET LIGHT



- ↳ Compact design with powder coated aluminium PDC housing
- ↳ Aluminium heat sink for effective thermal management
- ↳ Lens technology for better throw of light
- ↳ LM 80 tested LED technology ensures long life
- ↳ Driver with high voltage protection upto 380VAC
- ↳ Surge protection upto 5KV
- ↳ IP 66 protection from dust & rain



Cool White

CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D912065	20	6500	1900	150-300
D923065	30	6500	3000	150-300

GARNET FLOOD LIGHT



- ↳ Premium look with aluminium PDC housing
- ↳ Reflector & clear optics for sharp light
- ↳ LM 80 tested LED technology
- ↳ Driver with high voltage protection upto 380VAC
- ↳ Surge protection upto 4KV
- ↳ IP 65 protection from dust & rain



CAT NO	WATTAGE (W)	CCT (K)	LUMENS (lm)	VOLTAGE (VAC)
D913065	30	6500	2700	150-300
D915065	50	6500	4500	150-300
D910065	100	6500	9500	150-300

APPLICATIONS



GARDEN



CANOPY



LANDSCAPE



PLAYGROUND

NOTES

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



NOTES

Dotted lines for notes.

WIPRO LIGHTING ADVANTAGE

Wipro Lighting is a name one can trust for a revolutionary lighting system. Its environmental-friendly philosophy and consumer-centric technology makes it a class apart in the field of lighting. As a trusted brand in the lighting industry,

Wipro Lighting has lit 55% of the certified Green Buildings and Platinum-rated Green Buildings in India. With its comprehensive and innovative range of LEDs, it is taking lighting to a whole new level. Covering both retail and commercial spaces, every product of Wipro LEDs offers the perfect light output to enhance your productivity. With its aesthetics, each unique product is designed to beautify your home and office space with the right kind of mood. Our product designs have received recognition such as the prestigious India Design Mark Award as well as the European Design Award. So now, bring home the Wipro Lighting innovation and live life in a new light.

BRANCH OFFICES

Ahmedabad	02718	262710 / 321819	Hyderabad	040	27173939 / 27176452
Ambala	0171	25220535 / 3299052	Hubli	0836	2236902 / 2236903
Aurangabad	0917	2265222 / 2275222	Indore	0731	4023486 / 3298765
Bangalore	080	40541951 / 40541950	Jaipur	0141	2280289 / 2280014
Bhiwandi cc Depot	084	4665051 / 4665052	Kolkata	033	44045886 / 09874537418
Bhubaneswar	0674	6450804 / 09337011809	Lucknow	0520	2434352 / 2434734
Chandigarh	0172	5018734 / 2660714	Mumbai	0252	2314292 / 09833048928
Chennai	044	24769653	Nagpur	0710	4220010 / 4222152
Cochin	0484	6555545 / 09895708464	Patna	0612	2640855 / 09835230505
Coimbatore	0422	2477841 / 2478751	Pune	0702	8908241 / 8908242 / 8908243
Delhi	011	41708122 / 41708129	Raipur	0771	3265725 / 09752605564
Ghaziabad	0120	2962852	Ranchi	0651	2206636 / 07488285584
Goa	0836	2236902 / 2236903	Vijayawada	0866	6583777 / 09701546666
Guwahati	0361	2236986 / 09854059453			



Wipro Enterprises (P) Limited

Registered office: 134, Doddakannelli, Sarjapur Road, Bengaluru - 560035, India

Write to: Wipro Consumer Care, Doddakannelli, Sarjapur Road, Bengaluru - 560035

Phone: 080 2844 0011 | Call Toll free no: 1-800-425-1969 | Email us at: feedback.wcc@wipro.com

Visit us at: www.wiproconsumerlighting.com | www.wiprolighting.com | www.wiproconsumercare.com

[facebook.com/WiproLED](https://www.facebook.com/WiproLED) | twitter.com/WiproLED | [instagram.com/wiproled](https://www.instagram.com/wiproled)